



## Yuasa Technisches Datenblatt

### Yuasa 501 - Klassische Fahrzeugbatterien

#### Leistung

|                               |      |
|-------------------------------|------|
| Spannung                      | 6V   |
| Kapazität 20 Std (vorgegeben) | 85Ah |
| Kaltstartstrom (A) EN1        | 385A |

#### Abmessungen

|        |       |
|--------|-------|
| Länge  | 225mm |
| Breite | 175mm |
| Höhe   | 220mm |

#### Maße und Gewichte

|  |           |
|--|-----------|
| Durchschnittliches Gewicht inkl. Säure | 20.1kg    |
| Säurevolumen                           | 4.7 Liter |



#### Gehäuseeigenschaften

|                |                  |
|----------------|------------------|
| Batteriehalter | N                |
| Deckeltyp      | Verschlußstopfen |

#### Technologie

|                       |             |
|-----------------------|-------------|
| Technologie           | Sb/Sb       |
| Adskiller             | PE          |
| Empfohlener Ladestrom | 5A          |
| Performance Marking   | W1-C1-V1-E1 |

#### Anschlusspol Typ

##### T1


Standard DIN Post




Positive Terminal

Negative Terminal

#### Zellenanordnung



#### Batteriehalter



Datenblatt erstellt am 15/06/2024 - E&EO



## Yuasa Technical Data Sheet

### Yuasa 501 - Classic Vehicle Batteries

#### Performance

|                          |      |
|--------------------------|------|
| Voltage                  | 6V   |
| Capacity (20-hour)       | 85Ah |
| Cold Cranking Amps (EN1) | 385A |

#### Dimensions

|        |       |
|--------|-------|
| Length | 225mm |
| Width  | 175mm |
| Height | 220mm |

#### Weights & Measures

|                       |            |
|-----------------------|------------|
| Mean Weight with Acid | 20.1kg     |
| Acid Volume           | 4.7 litres |

#### Container Features

|           |             |
|-----------|-------------|
| Hold Down | N           |
| Lid Type  | Raised Plug |

#### Technology


|                         |             |
|-------------------------|-------------|
| Technology              | Sb/Sb       |
| Separator               | PE          |
| Recommended Charge Rate | 5A          |
| Performance Marking     | W1-C1-V1-E1 |



#### Terminal Type

##### T1


Standard DIN Post



Positive Terminal

Negative Terminal

#### Cell Assembly Layout



#### Battery Hold-down



Data Sheet generated on 15/06/2024 - E&OE