



Yuasa Technisches Datenblatt

Yuasa YBX1630 - Super Heavy Duty Battery

Leistung

Spannung	12V
Kapazität 20 Std (vorgegeben)	143Ah
Kaltstartstrom (A) EN1	900A

Abmessungen

Länge	513mm
Breite	189mm
Höhe	223mm



Maße und Gewichte

Durchschnittliches Gewicht inkl. Säure	37.6kg
--	--------

Gehäuseeigenschaften

Gehäusotyp	DIN A
Zellenanordnung	3
Batteriehälter	B3
Tragegriffe	✓
Deckeltyp	Verschlußstopfen

Technologie

Technologie	Sb/Ca
Empfohlener Ladestrom	7A
Performance Marking	W2-C2-V2-E1

Anschlusspol Typ

T1


Standard DIN Post



Positive Terminal

Negative Terminal


Zellenanordnung



3

Batteriehälter

B3



Datenblatt erstellt am 28/03/2025 - E&EO



Yuasa Technical Data Sheet

Yuasa YBX1630 - Super Heavy Duty Battery

Performance

Voltage	12V
Capacity (20-hour)	143Ah
Cold Cranking Amps (EN1)	900A

Dimensions

Length	513mm
Width	189mm
Height	223mm



Weights & Measures

Mean Weight with Acid	37.6kg
-----------------------	--------

Container Features

Case Type	DIN A
Cell Layout	3
Hold Down	B3
Handles	✓
Lid Type	Raised Plug

Technology

Technology	Sb/Ca
Recommended Charge Rate	7A
Performance Marking	W2-C2-V2-E1


Terminal Type

Cell Assembly Layout

Battery Hold-down


T1

Standard DIN Post




Positive Terminal

Negative Terminal



3

B3



Data Sheet generated on 28/03/2025 - E&OE