

Yuasa Technisches Datenblatt

Yuasa YBX7053 - YBX7000 EFB Start Stop Plus Batterien

Leistung

Spannung 12V
 Kapazität 20 Std (vorgegeben) 45Ah
 Kaltstartstrom (A) EN1 450A

Abmessungen

Länge 238mm
 Breite 128mm
 Höhe 227mm

Maße und Gewichte

Durchschnittliches Gewicht inkl. Säure 13kg
 Säurevolumen 3 Liter



Gehäuseeigenschaften

Gehäusotyp B24 JIS EFB (N55)
 Batteriehalter N
 Deckeltyp Flacher Deckel


Technologie

Flammschutz	✓
Technologie	Ca/Ca
Adskiller	PE
Empfohlener Ladestrom	3A
Performance Marking	W3-C2-V3-M1


Anschlusspol Typ

T1/T3


Standard DIN Post



Remove T1 adapter for T3



Zellenanordnung



Batteriehalter



Datenblatt erstellt am 28/03/2025 - E&EO



Yuasa Technical Data Sheet

Yuasa YBX7053 - YBX7000 EFB Start Stop Plus Batteries

Performance

Voltage	12V
Capacity (20-hour)	45Ah
Cold Cranking Amps (EN1)	450A

Dimensions

Length	238mm
Width	128mm
Height	227mm

Weights & Measures

Mean Weight with Acid	13kg
Acid Volume	3 litres



Container Features

Case Type	B24 JIS EFB (N55)
Hold Down	N
Lid Type	Flat Lid


Technology

Flame Arrestor	✓
Technology	Ca/Ca
Separator	PE
Recommended Charge Rate	3A
Performance Marking	W3-C2-V3-M1


Terminal Type

T1/T3


Standard DIN Post



Remove T1 adapter for T3



Cell Assembly Layout



Battery Hold-down



Data Sheet generated on 28/03/2025 - E&OE