



Yuasa Technisches Datenblatt

Yuasa YBX9019 - YBX9000 AGM Start Stop Plus Batterien

Leistung

Spannung 12V
Kapazität 20 Std (vorgegeben) 95Ah
Kaltstartstrom (A) EN1 850A

Abmessungen

Länge 353mm
Breite 175mm
Höhe 190mm

Maße und Gewichte

Durchschnittliches Gewicht inkl. Säure 25.6kg



Gehäuseeigenschaften

Gehäusotyp L5 DIN AGM
Anschlusspol Typ T1
Batteriehalter B3
Tragegriffe ✓
Entgasung ✓
Semi Traktionseigenschaften ✓
Deckeltyp VRLA

Technologie

Flammschutz ✓
Technologie Ca/Ca VRLA
Adskiller AGMSORTIMENT
VDA Überschlagentest ✓
Empfohlener Ladestrom 5A
Performance Marking W5-C2-V3-M3

Anschlusspol Typ

T1


Standard DIN Post



Positive Terminal

Negative Terminal

Zellenanordnung



Batteriehalter

Datenblatt erstellt am 16/03/2025 - E&EO



Yuasa Technical Data Sheet

Yuasa YBX9019 - YBX9000 AGM Start Stop Plus Batteries

Performance

Voltage	12V
Capacity (20-hour)	95Ah
Cold Cranking Amps (EN1)	850A

Dimensions

Length	353mm
Width	175mm
Height	190mm

Weights & Measures

Mean Weight with Acid	25.6kg
-----------------------	--------



Container Features

Case Type	L5 DIN AGM
Terminal Type	T1
Hold Down	B3
Handles	✓
End Venting	✓
Semi-Traction Features	✓
Lid Type	VRLA


Technology

Flame Arrestor Technology	✓
Separator	Ca/Ca VRLA AGM
VDA Roll Over Test	✓
Recommended Charge Rate	5A
Performance Marking	W5-C2-V3-M3

Terminal Type

T1


Standard DIN Post




Positive Terminal

Negative Terminal

Cell Assembly Layout



Battery Hold-down



Data Sheet generated on 16/03/2025 - E&OE